

Earthbind® 100 (EB100); Earthbind® Stabilizer (EBS); Earthbind® Stabilizer Rejuvenating Asphalt (EBS-RA); Earthbind® Rejuvenating Bond Coat (EB-RBC); Earthbind® Rejuvenating Top Coat (EB-RTC); Earthbind® Prime (EB-Prime); Earthbind® NTBC-41 (EB-NTBC-41)

Safety Data Sheet

According To Federal Register/Vol.77, No.58/Monday, March 26, 2012/ Rules And Regulations

Revision Date: 06/28/2019

Date of Issue: 01/01/2013

Supersedes Date: 05/07/2019

Version: 3.3

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: Earthbind® EB100; EBS; EBS-RA; EB-RBC; EB-RTC; EB-Prime; EB-NTBC-41

Synonyms: Earthbind®

1.2. Intended Use of the Product

Use of the Substance/Mixture: Road & Construction Site Dust Control / Road Base Stabilization / Prime Coat / Surface Treatment / Erosion Control / Cold-mix paving / Non-Track Bond Coat

1.3. Name, Address, and Telephone of the Responsible Party

Company

EnviRoad, LLC
 2606 N. Newark St.
 Portland, OR 97217
 USA
 Phone: 503-595-2650
 Fax: 503-595-2655
 Email: info@enviroad.com

1.4. Emergency Telephone Number

Emergency Number :503-279-2626

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

GHS-US Classification

Not classified

2.2. Label Elements

GHS-US Labeling

No labeling applicable

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	% 30 -	GHS-US classification
Water	(CAS-No.) 7732-18-5	40 10 -	Not classified Not
Asphalt	(CAS-No.) 8052-42-4	60 5 -	classified Comb. Dust
Stabilizer	(CAS-No.) Proprietary	35 < 6	Eye Irrit. 2B, H320
Emulsifier	(CAS-No.) Proprietary		

Full text of H-phrases: see section 16

Earthbind®(EB100); (EBS); (EBS-RA); (EB-RBC); (EB-RTC); (EB-Prime); (EB-NTBC-41)

Safety Data Sheet

According to Federal Register/ Vol. 77, No. 58 /Monday, March 26, 2012 /Rules and Regulations

The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200].

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

First-aid Measures After Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: None expected under normal conditions of use.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: Prolonged inhalation of fumes from thermal decomposition may have long-term adverse effects.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, dry chemical, foam, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures. Will not ignite until water is driven off.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire.

Firefighting Instructions: Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide, smoke, fumes, unburned hydrocarbons and oxides of sulfur and/or nitrogen. Hydrogen sulfide and other sulfur-containing gases can evolve from this product particularly at elevated temperatures.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit. Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

Earthbind®(EB100); (EBS); (EBS-RA); (EB-RBC); (EB-RTC); (EB-Prime); (EB-NTBC-41)

Safety Data Sheet

According to Federal Register/ Vol. 77, No. 58 /Monday, March 26, 2012 /Rules and Regulations

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: May release poisonous hydrogen sulfide. Hydrogen sulfide is a highly flammable, explosive gas under certain conditions, is toxic, and may be fatal. Gas can accumulate in the headspace of closed containers, use caution when opening sealed containers. Heating the product or containers can cause thermal decomposition of the product and release hydrogen sulfide.

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do not breathe vapors, mist, spray, fumes.

Handling Temperature: < 100°C

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s)

Road & Construction Site Dust Control/Road Base Stabilization/Prime Coat / Erosion Control / Cold-mix paving

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

Asphalt (8052-42-4)		
USA ACGIH	ACGIH TWA (mg/m ³)	0.5 mg/m ³ (fume, inhalable particulate matter)
USA ACGIH	ACGIH chemical category	Not Classifiable as a Human Carcinogen fume, coal tar-free
USA ACGIH USA NIOSH	Biological Exposure Indices (BEI) NIOSH REL (ceiling) (mg/m ³)	Parameter: 1-Hydroxypyrene with hydrolysis - Medium: urine - Sampling time: end of shift at end of workweek (nonquantitative)
		5 mg/m ³ (fume)

8.2. Exposure Controls

Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

Personal Protective Equipment

: Gloves. Protective clothing. Protective goggles. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing

: Chemically resistant materials and fabrics.

Hand Protection

: Wear protective gloves.

Eye and Face Protection

: Chemical safety goggles.

Skin and Body Protection

: Wear suitable protective clothing.

Respiratory Protection

: If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory protection.

Other Information

: When using, do not eat, drink or smoke.

Earthbind®(EB100); (EBS); (EBS-RA); (EB-RBC); (EB-RTC); (EB-Prime); (EB-NTBC-41)

Safety Data Sheet

According to Federal Register/ Vol. 77, No. 58 /Monday, March 26, 2012 /Rules and Regulations

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State	: Liquid : Dark brown : Mild, bitumen/molasses : No data available :
Appearance	No data available
Odor	: No data available
Odor Threshold	: No data available
pH	: ≈ 17 °F (-8.33 °C)
Evaporation Rate	: > 100 °C (212 °F)
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available : < 1 mm Hg
Auto-ignition Temperature	: > 1 (air = 1)
Decomposition Temperature	: No data available
Flammability (solid, gas)	: 1.01 - 1.09 : 8.4 - 9.1 lb/gal : Water: Complete
Vapor Pressure	: No data available
Relative Vapor Density at 20°C	: 345 - 660 cP (as concentrate 50 °F - 82 °F [10 - 28 °C]); 2 - 20 cP (as
Relative Density	
Specific Gravity	
Density	
Solubility	
Partition Coefficient: N-Octanol/Water	
Viscosity	

diluted)

9.2. Other Information: No additional information available

SECTION 10: STABILITY AND REACTIVITY

- 10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.
- 10.2. Chemical Stability:** Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid:** Direct sunlight, extremely high or low temperatures, and incompatible materials. Avoid exposure to prolonged heating above 100 °C (212 °F).
- 10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers.
- 10.6. Hazardous Decomposition Products:** Carbon dioxide, carbon monoxide, smoke, fumes, unburned hydrocarbons and oxides of sulfur and/or nitrogen. Hydrogen sulfide and other sulfur-containing gases can evolve from this product particularly at elevated temperatures.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity: Not classified

Asphalt (8052-42-4)	
LD50 Oral Rat	> 5000 mg/kg
LD50 Dermal Rabbit	> 2000 mg/kg
LC50 Inhalation Rat	> 94.4 mg/m ³

Skin Corrosion/Irritation: Not classified

Serious Eye Damage/Irritation: Not classified

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified (According to the International Agency for Research on Cancer (IARC), exposure to hot asphalt fumes may be carcinogenic to humans. However, this product is not intended for use at elevated temperatures.)

Asphalt (8052-42-4)	
IARC group	2B
OSHA Hazard Communication Carcinogen List	In OSHA Hazard Communication Carcinogen list.

Reproductive Toxicity: Not classified

06/28/2019

Earthbind®(EB100); (EBS); (EBS-RA); (EB-RBC); (EB-RTC); (EB-Prime); (EB-NTBC-41)

Safety Data Sheet

According to FederalRegister/ Vol. 77, No. 58 /Monday, March 26, 2012 /Rules and Regulations

Specific Target Organ Toxicity (Single Exposure): Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact: May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: Prolonged inhalation of fumes from thermal decomposition may have long-term adverse effects.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General : Not classified.

Earthbind® 100 (EB100); Earthbind® Stabilizer (EBS); EBS-RA	
LC50 Fish 1 Earthbind® Stabilizer	> 2240 mg/l 96 hours for Oncorhynchus mykiss (rainbow trout)
LC50 Fish 1 Earthbind® 100	> 5000 mg/l 48 hours for Oncorhynchus mykiss (rainbow trout)
LC50 Fish 2 Earthbind® Stabilizer	> 3420 mg/l 96 hours for Pimephales promelas (fathead minnow)
LC50 Fish 2 Earthbind® 100	> 5000 mg/l 48 hours for Pimephales promelas (fathead minnow)

12.2. Persistence and Degradability

Earthbind® 100 (EB100); Earthbind® Stabilizer (EBS); EBS-RA	
Persistence and Degradability	Not established.

12.3. Bioaccumulative Potential

Earthbind® 100 (EB100); Earthbind® Stabilizer (EBS); EBS-RA	
Bioaccumulative Potential	Not established.

Asphalt (8052-42-4)	
BCF Fish 1	(no bioaccumulation expected)
Log Pow	> 6

12.4. Mobility in Soil: No additional information available

12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport

14.3. In Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

Water (7732-18-5)

Earthbind®(EB100); (EBS); (EBS-RA); (EB-RBC); (EB-RTC); (EB-Prime); (EB-NTBC-41)

Safety Data Sheet

According to FederalRegister/ Vol. 77, No. 58 /Monday, March 26, 2012 /Rules and Regulations

Listed on the United States TSCA (Toxic Substances Control Act) inventory	
Stabilizer	
Listed on the United States TSCA (Toxic Substances Control Act) inventory	
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Inventory Update Reporting Rule, i.e, Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(C)).
Asphalt (8052-42-4)	
Listed on the United States TSCA(Toxic Substances Control Act) inventory	

15.2. US State Regulations

Asphalt (8052-42-4)
U.S. - Massachusetts - Right ToKnow List
U.S. - New Jersey - Right to KnowHazardous Substance List
U.S. - Pennsylvania - RTK (RighttoKnow) List

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision	: 07/12/2017
Other Information	: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200

GHS Full Text Phrases:

Comb. Dust	Combustible Dust
Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
H320	Causes eye irritation

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)